

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|------------------|
| S1 | 0 | ("INFINIBAND").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/13 06:18 |
| S2 | 4 | SAN same cluster\$4 same rout\$4 same protocol\$2 same LAN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:32 |
| S3 | 11388 | SAN same protocol\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:32 |
| S4 | 116 | SAN near protocol\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:32 |
| S5 | 14 | LAN same (SAN near protocol\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:43 |
| S6 | 8 | S5 and (transform\$4 or conver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:30 |
| S7 | 2 | S6 and agent\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:45 |
| S8 | 8 | ("5459853" "5768623" "6061750" "6098129" "6115797" "6393537" "6505273" "6529976").PN. OR ("6772365").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/04/11 12:49 |

| | | | | | | |
|-----|----|---|---|----|----|------------------|
| S9 | 6 | S8 and (transform\$4 or conver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 12:56 |
| S10 | 1 | S2 and (transform\$4 or conver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:30 |
| S11 | 1 | S2 and (transform\$4 or conver\$5 or modif\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:32 |
| S12 | 93 | S4 and (transform\$4 or conver\$5 or modif\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:32 |
| S13 | 82 | S4 and (transform\$4 or conver\$5) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:33 |
| S14 | 5 | (transform\$4 or conver\$5) same (SAN near protocol\$2) same LAN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 12:37 |
| S15 | 2 | (transform\$4 or conver\$5 or modif\$4) same (SAN near protocol\$2) same (TCP or IP) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/11 13:36 |
| S16 | 1 | (bridg\$4 or interconnect\$4 or connect\$4 or switch\$4 or link\$4) same SAN same LAN same protocol\$2 same cluster\$4 same (transform\$4 or conver\$5 or chang\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 12:40 |

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S17 | 56 | ((bridg\$4 or interconnect\$4 or connect\$4 or switch\$4 or link\$4) same SAN same LAN same cluster\$4) and (transform\$4 or conver\$5 or chang\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 12:42 |
| S18 | 8 | ((bridg\$4 or interconnect\$4 or connect\$4 or switch\$4 or link\$4) same SAN same LAN same cluster\$4) and ((transform\$4 or conver\$5 or chang\$4) same rout\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:01 |
| S19 | 9 | S17 and (rout\$4 same (failover or fail-over or failure\$2 or balanc\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:17 |
| S20 | 888 | rout\$4 same agent\$2 same (session\$2 or connect\$4) same (conver\$4 or modif\$4 or chang\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:07 |
| S21 | 3 | rout\$4 near3 agent\$2 near3 (session\$2 or connect\$4) near3 (conver\$4 or modif\$4 or chang\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:08 |
| S22 | 0 | S21 and SAN and LAN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:08 |
| S23 | 68 | S20 and SAN and LAN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:08 |
| S24 | 49 | S23 and (failover or fail-over or failure\$2 or balanc\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:40 |


| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S25 | 36 | S17 and rout\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:34 |
| S26 | 6 | S20 and infiniband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 13:36 |
| S27 | 4 | S25 and infiniband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:07 |
| S28 | 6566 | (bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:08 |
| S29 | 30 | (bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client) same rout\$4 same (transform\$4 or conver\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:11 |
| S30 | 2 | S29 and infiniband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:10 |
| S31 | 309 | S28 and infiniband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:10 |
| S32 | 83 | S31 and (rout\$4 same (transform\$4 or conver\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 14:11 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S33 | 80 | S32 and (failover or fail-over or failure\$2 or balanc\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/12 15:22 |
| S34 | 25 | S33 and (stream\$4 same (hardware or device)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 06:34 |
| S36 | 6566 | (bridg\$4 or interconnect\$4 or connect\$4 or link\$4 or interlink\$4) same (SAN or cluster\$4) same (LAN or remote or client) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 06:34 |
| S37 | 309 | S36 and infiniband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 06:34 |
| S38 | 83 | S37 and (rout\$4 same (transform\$4 or conver\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 06:34 |
| S39 | 80 | S38 and (failover or fail-over or failure\$2 or balanc\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 11:02 |
| S40 | 25 | S39 and (stream\$4 same (hardware or device)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 06:36 |
| S41 | 18 | S40 and cluster\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 06:51 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S42 | 17 | S41 and server\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 07:12 |
| S43 | 14 | S42 and polic\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 07:21 |
| S46 | 1 | rout\$6 same agent\$2 same SAN same LAN same (path\$2 or conection\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 07:24 |
| S47 | 25 | (conver\$4 or modif\$5) same LAN same SAN same protocol\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 07:26 |
| S48 | 2 | (conver\$4 or modif\$5) same LAN same SAN same protocol\$2 same cluster\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 08:04 |
| S49 | 5 | (conver\$4 or modif\$5) same LAN same SAN same cluster\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 08:05 |
| S50 | 5 | (conver\$4 or modif\$5 or transform\$4) same LAN same SAN same cluster\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 08:13 |
| S51 | 26 | (conver\$4 or modif\$5 or transform\$4) same LAN same SAN same protocol\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 08:25 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| S52 | 24 | S51 not S50 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 08:13 |
| S53 | 31 | (conver\$4 or modif\$5 or transform\$4 or chang\$4) same LAN same SAN same protocol\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 10:35 |
| S54 | 7 | S53 not S52 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 08:35 |
| S55 | 0 | router\$2 near10 agent\$2 near10 SAN near10 LAN near10 (polic\$4 or rule\$2 or agreement or contract\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 09:41 |
| S56 | 3 | router\$2 same agent\$2 same SAN same LAN same (polic\$4 or rule\$2 or agreement or contract\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 09:17 |
| S57 | 5 | router\$2 same agent\$2 same SAN same LAN | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 09:17 |
| S58 | 2 | ("6757291").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/04/13 09:41 |
| S59 | 5 | S53 and infiniband | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 10:35 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S60 | 80 | S38 and (failover or fail-over or failure\$2 or balanc\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 11:02 |
| S61 | 76 | S60 and parallel | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/13 11:03 |



Web

Results 191 - 200 of about 544 for **infiniband SAN LAN TCP/IP agent**. (0.23 seconds)

[doc] [A Light-Weight Communication System for a High Performance System ...](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... of other companies are working for the definition of **Infiniband** [Inf01], ...
on systems with Ethernet NICs and even on top of the TCP/IP protocol stack. ...
udsab.dia.unisa.it/dottorato/TESI/tesi-devivo.doc - Apr 9, 2005 - [Similar pages](#)

[Kommentiertes Vorlesungsverzeichnis WS2003/2004](#) - [[Translate this page](#)]

... Readings in Agents. Morgan Kaufmann Publ., San Francisco, 1998. Teilnehmer:

... **TCP/IP** über Ethernet; Router & Repeater; Protokollanalyse; DNS; E-Mail ...

[www.tu-chemnitz.de/informatik/studium/vorl_verz_ws03/komm-verz-ws03.html](#) - 100k - [Cached](#) - [Similar pages](#)

["computer network" Books: Titles Beginning With S](#)

... Sams' Teach Yourself McSe Tcp/Ip in 14 Days (Sams Teach Yourself) ... Explained:

Basics and Application of Fibre Channel **SAN**, NAS iSCSI and **InfiniBand** ...

[www.babbage.ie/computer-repairs/bookpages/book-titles-S.shtml](#) - 206k - [Cached](#) - [Similar pages](#)

[PDF] [ECEER](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... personal computers that utilize gigabit Ethernet, **InfiniBand**, or some other

... network (**SAN**) technology [6, 26] as the underlying switching technology. ...

[www.cs.princeton.edu/~scott/Thesis/thesis2side.pdf](#) - [Similar pages](#)

[PDF] [Cluster Computing White Paper](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... COTS local area network (**LAN**) or systems area network (**SAN**) technology that
may be ... is emerging, **Infiniband**, that in two years promises to reduce the ...

[clusters fisica.uson.mx/cluster-computing2000.pdf](#) - [Similar pages](#)

[Information Science and Technology Links](#)

... 10 Gigabit Ethernet Alliance 121-javascript-tutorials.com ... AgentLink: A

Network of Excellence for **Agent**-Based Computing AI Dictionary ...

[www.yorku.ca/sasit/links/information.html](#) - 238k - [Cached](#) - [Similar pages](#)

[PDF] [Novell ConNection_2004_oktober.qxp](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Az **Infiniband** a nagyméretű adatbázis-, clusterek területét célozza meg. ...

A GroupWise **Agent** Code telepítéséhez futassa az **Agent** telepítőjét a ...

[www.novell.com/hungary/nc/200411/nc_200411.pdf](#) - [Similar pages](#)

[Abbrev](#)

... semiconductor 330 CMOT -> CMIP Over TCP/IP 331 CMS -> Content Management ...

Informatik 818 GIB -> Gigabit **Infiniband** 819 GID -> group identification ...

[www.familie-kirchhofer.de/michael/](#) - 95k - [Cached](#) - [Similar pages](#)

[doc] [Future Workspaces IST-2001-38346 A Strategic Roadmap for Defining ...](#)

File Format: Microsoft Word 97 - [View as HTML](#)

... bus architectures to a Fabric based architecture such as **InfiniBand**. ...

To truly network them a proxy server is used to enable TCP/IP to be employed. ...

[www.avprc.ac.uk/fws/Technology_challenges.doc](#) - [Similar pages](#)

Компания "Тристан" - Tivoli Enterprise – платформа для управления ...
... данных без применения ресурсов **LAN** позволяет эффективно использовать среду **SAN**
... носителей **SAN**, включая Fibre Channel, SCSI, SSA, iSCSI и **InfiniBand**; ...
www.tristan.ru/faq/tivoli.html - 366k - Cached - Similar pages

◀ Goooooooooooooooooooooogle ▶

Result Page: Previous 10 11 12 13 14 15 16 17 18 19 **20** 21 22 23 24 25 26 27 28 29 Next

Search within results | Language Tools | Search Tips

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google